REPORT DOCUMENTATION PAGE

Form Approved
OMB No. 0704-0188

1. REPORT DATE (DD-MM-YYYY)	2. REPORT DATE	3. DATES COVERED (From - To)
9/29/2003		1/1/00-12/31/03

4. TITLE AND SUBTITLE	5a. CONTRACT NUMBER
Advanced Signal Processing for Multiple Access Communications Systems	
	5b. GRANT NUMBER
	N00014-00-1-0141
	5c. PROGRAM ELEMENT NUMBER

6. AUTHOR(S)	5d. PROJECT NUMBER
Poor, Vincent H.	
	5e. TASK NUMBER
	5f. WORK UNIT NUMBER

7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)	8. PERFORMING ORGANIZATION REPORT NUMBER
Princeton University Department of Electrical Engineering Engineering Quadrangle CN-5263 Princeton, NJ 08544	03PR00586-00

9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)	10. SPONSOR/MONITOR'S ACRONYM(S)
	11. SPONSORING/MONITORING AGENCY REPORT NUMBER

12. DISTRIBUTION AVAILABILITY STATEMENT
DISTRIBUTION STATEMENT A Approved for Public Release Distribution Unlimited

13. SUPPLEMENTARY NOTES

14. ABSTRACT

SEE ATTACHED

20031003 145

15. SUBJECT TERMS

16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON
a. REPORT	b. ABSTRACT	c. THIS PAGE			H. VINCENT POOR
					19b. TELEPONE NUMBER (Include area code)
					(609)258-3152

Standard Form 298 (Rev. 8-98)
Prescribed by ANSI-Std Z39-18

FINAL TECHNICAL REPORT
ONR GRANT N00014-00-1-0141

H. Vincent Poor, Principal Investigator

September 26, 2003

Technical Progress

Progress under this three-year grant is summarized below, grouped roughly by fiscal year.

FY02: This year's progress included contributions to several areas. In particular, we developed blind multiuser detection algorithms for data detection in CDMA systems without the need for a priori timing information. This work, described in [1] and [5], is of significance because it allows the multiuser reception without the necessity of first acquiring the symbol timing, a problem which has not been solved satisfactorily in heavy multiuser environments. These new methods are of particular interest in packet radio networks (especially with short packets), in which timing must be reacquired on each packet. The ability to acquire timing blindly minimizes overhead, thereby saving spectrum and lowering interceptability. This also allows operation in eavesdropping mode.

In a second contribution, reported in [16] (see also [13]), we developed a general theory of signal analysis for self-similar processes based on a reproducing kernel Hilbert space (RKHS) representation of such processes. This theory is sufficiently general to produce algorithms for detection, estimation and filtering of self-similar processes, which are of widespread interest due to their occurrence in many natural and man-made phenomena (Internet traffic, phase noise, etc.).

A third contribution, described in [17], [19] and [20], has been the development and analysis of a powerful and efficient algorithm for multi-alternative change detection. This algorithm, known as the matrix CUSUM, is of widespread interest in many applications, including surveillance and security monitoring, signal detection, communications networking, etc.

We also completed and published a major review article [2] in which we describe the state of the art of interference suppression in spread-spectrum systems. This is the first major survey of this area since Milstein's 1988 survey (also published in the Proceedings of the IEEE), and covers the many powerful algorithms that have been developed in the intervening fifteen-year span.

Finally, we presented two invited papers, one [24] on statistical change detection in a DIMACS workshop on homeland defense, and the second [23] on the new concept of "turbo fusion" at FUSION2002. (This work is the basis for one of our main thrusts described in Section B.2.b.)

FY01: This year, our research activities also resulted in a number of results across a spectrum of areas in statistical signal processing.

Papers [21] and [22] describe broadly applicable techniques for interference suppression in wireless communication systems. Paper [21] particularly addresses the problem of interference suppression in spread-spectrum overlay systems. These methods are of increasing interest to the Navy due to spectrum crowding in general, and to changes in operational tactics. For example, in the deployment of littoral sonobuoy arrays with very-high-frequency (VHF) links, on-shore and near-shore commercial radio traffic represents a significant source of co-channel interference.

A further approach to non-cooperative communications and eavesdropping (beyond that discussed in [1] and [5] mentioned above) is discussed in [27], [28], and [29]. In particular, these publications consider the pure eavesdropping problem for CDMA networks, in which the receiver must determine both signature sequences and data. An approach based on the expectation-maximization (EM) algorithm is developed, and this proves to be an effective, low-complexity approach to this problem.

Paper [10] is a general review of methods for detecting stochastic processes. (This paper was developed as part of a celebration of the 50th anniversary of information theory.) This paper considers the classic methods of binary signal detection, as well as a number of more algorithmically oriented methodologies, such as sequence detection (e.g., multiuser detection, equalization, Viterbi decoding) and quickest detection.

Publications [13], [14] and [15] consider the linear modeling, analysis and processing, of self-similar stochastic processes, which as noted above are of considerable interest in the modeling of physical phenomena, economic data, and, more relevantly, IP network traffic. In this work, a powerful connection between such processes and stationary stochastic processes is exploited to develop canonical methods for signal processing and time-series analysis in the self-similar regime.

Finally, papers [25] and [26] deal with multirate signal processing and wavelet transforms over finite fields. This work is of importance in applications such as the design and decoding of multi-level error correcting codes, which are in turn of interest in wireless multimedia networks.

FY00: Many of the results of this year are captured in the above discussion and the relevant publications (typically conference publications leading to subsequent journal articles) have been cited there. Exceptions are as follows. In the area of advanced signal processing techniques for multiple-access communication, our efforts were focussed on the development of channel-estimation methods to support adaptive demodulation in CDMA networks [4], [6], [7], [30]; methods for activity detection and blind demodulation in CDMA

networks [18]; and fast beam-switching of multibeam antennas in CDMA networks [12]. Other contributions included improved methods of nonlinear filtering [9], [11].

Details of this progress can be found in our ONR-supported publications appearing since our last proposal. These are included in the following bibliography, as cited above.

References

[1] S. Buzzi, M. Lops and H. V. Poor, "A Blind Delay Estimation Algorithm for Long-Code DS/CDMA Systems," *Proceedings of the 2001 IEEE International Symposium on Information Theory*, Washington DC, June 24 - 29, 2001, p 173.

[2] S. Buzzi, M. Lops and H. V. Poor, "Code-Aided Interference Suppression for DS/CDMA Overlay Systems," (invited paper) *Proceedings of the IEEE*, Vol. 90, No. 3, pp. 394 - 435, March 2002.

[3] S. Buzzi, M. Lops and H. V. Poor, "Timing-free Code-aided Blind Adaptive Joint MAI and ISI Suppression in Dispersive CDMA Channels," *Proceedings of the 2002 IEEE Wireless Communications and Networking Conference*, Orlando, FL, March 17 - 21, 2002.

[4] S. Buzzi and H. V. Poor, "Channel Estimation and Synchronization in Long-code CDMA Systems," (invited paper). *Proceedings of the 2000 IEEE Wireless Communications and Networking Conference (WCNC2000)*, Chicago, IL, September 23 - 28, 2000.

[5] S. Buzzi and H. V. Poor, "Timing-Free Blind Multiuser Detection in Differentially Encoded DS/CDMA Systems," *IEEE Transactions on Communications*, Vol. 49, No. 12, pp. 2077 - 2082, December 2001.

[6] C. Carlemalm, A. Logothetis and H. V. Poor, "Joint Carrier Phase and Frequency Offset Tracking in OFDM Systems," *Proceedings of the 2000 European Signal Processing Conference (EUSIPCO2000)*, Tampere, Finland, September 5 - 8, 2000.

[7] C. Carlemalm and H. V. Poor, "Tracking of Fading Channels in Asynchronous CDMA Systems," (invited paper). *Proceedings of the 2000 European Signal Processing Conference (EUSIPCO'2000)*, Tampere, Finland, September 5 - 8, 2000.

[8] C. Comaniciu and H. V. Poor, "On the Capacity of Mobile Ad Hoc Networks with Delay Constraints," *Proc. IEEE CAS Workshop*, Pasadena, CA, September 2002.

[9] R. J. Elliott, V. Krishnamurthy, and H. V. Poor, "Exact Filters for Certain Moments and Stochastic Integrals of Systems with Benes Nonlinearity," *IEEE Transactions on Automatic Control*, Vol. 44, No. 10, pp. 1929 - 1933, October 1999.

[10] T. Kailath and H. V. Poor, "Detection of Stochastic Processes," In *Information Theory: 50 Years of Discovery*, Sergio Verdu and Steven McCloughlin, Eds. (IEEE Press: New York, 2000)

[11] V. Krishnamurthy and H. V. Poor, "State Coding of Hidden-Markov Linear Predictive Models," *Journal of Communications and Networks*, Vol. 1, No. 3, pp. 153 - 155, September 1999.

[12] A. Logothetis and H. V. Poor, "Fast Switched-Beam Beamforming for Optimal Selection Combining in Frequency Selective Fading CDMA Channels," *Proceedings of the IEEE Sixth International Symposium on Spread Spectrum Techniques and Applications (ISSSTA2000)*, Parsippany, NJ, September 6 - 8, 2000.

[13] C. J. Nuzman, *Linear Analysis of Self-Similar Random Processes* , Ph.D. Dissertation, Department of Electrical Engineering, Princeton University, Princeton, NJ, 2000.

[14] C. J. Nuzman and H. V. Poor, "Linear Estimation of Self-similar Processes via Lamperti's Transformation," *Journal of Applied Probability*, Vol. 37, pp. 429 - 452, June 2000.

[15] C. J. Nuzman and H. V. Poor, "On the Linear Structure of Self-Similar Processes," *Proceedings of the 2000 IEEE International Symposium on Information Theory*, Sorrento, Italy, June 25 - 30, 2000.

[16] C. J. Nuzman and H. V. Poor, "Reproducing Kernel Hilbert Space Methods for Wide-Sense Self-Similar Processes," *Annals of Applied Probability*, Vol 11, 2001, Vol 11, No. 4, pp.1199 - 1219, November 2001.

[17] T. Oskiper, *Multi-alternative Online Change Detection with Applications in Wireless Communications*, Ph.D. Dissertation, Department of Electrical Engineering, Princeton University, Princeton, NJ, 2001.

[18] T. Oskiper and H. V. Poor, "Activity Detection in a Spread Spectrum Network," *Proceedings of the IEEE Sixth International Symposium on Spread Spectrum Techniques and Applications (ISSSTA2000)*, Parsippany, NJ, September 6 - 8, 2000.

[19] T. Oskiper and H. V. Poor, "Matrix CUSUM: A Recursive Multi-hypothesis Change Detection Algorithm," *Proceedings of the 2001 IEEE International Symposium on Information Theory*, Washington DC, June 24 - 29, 2001, p. 19.

[20] T. Oskiper and H. V. Poor, "On-Line Activity Detection in a Multiuser Environment Using the Matrix CUSUM Algorithm," *IEEE Transaction on Information Theory*, Vol. 46, No. 2, pp. 477 - 493, February 2002.

[21] H. V. Poor, "Active Interference Suppression in CDMA Overlay Systems," (invited paper) *IEEE Journal on Selected Areas in Communications - Special Issue on Wideband CDMA*, Vol. 19, No. 1, pp. 4 - 20, January 2001.

[22] H. V. Poor, "Adaptive Interference Suppression for Wireless Multiple-access Communication Systems." In *Circuits and Systems for Wireless Communication*, Markus Helfenstein and George Moschytz, Eds. (Kluwer: Dordrecht, 2000)

[23] H. V. Poor, "Change Detection: A Tutorial Overview" (invited tutorial). Invited tutorial presented at the *CCR/DIMACS Workshop/Tutorial on Mining Massive Data Sets and Streams: Mathematical Methods and Algorithms for Homeland Defense*, Princeton, NJ, June 17 - 22, 2002.

[24] H. V. Poor, "Turbo Fusion," Invited keynote address presented at the *6th International Conference on Information Fusion (FUSION2002)*, Annapolis, MD, July 8 - 10, 2002.

[25] S. Sarkar and H. V. Poor, "Cyclic Wavelet Transforms for Arbitrary Finite Data Lengths," *Signal Processing*, Vol. 80, pp. 2541 - 2552, 2000.

[26] S. Sarkar and H. V. Poor, "Multirate Signal Processing on Finite Fields," *IEE Proceedings - Vision, Image and Signal Processing*, Vol. 148, No. 4, pp. 254 - 263, August 2001.

[27] Y. Yao, *Topics in DS-CDMA Systems*, Ph.D. Dissertation, Department of Electrical Engineering, Princeton University, Princeton, NJ, 2002.

[28] Y. Yao and H. V. Poor, "Eavesdropping in the Synchronous CDMA Channel: An EM-Based Approach," *IEEE Transactions on Signal Processing*, Vol. 49, No., 8, pp. 1748 - 1756, August 2001.

[29] Y. Yao and H. V. Poor, "EM-Based Blind Demodulation of Synchronous CDMA," (invited paper). *Proceedings of the IEEE Sixth International Symposium on Spread Spectrum Techniques and Applications (ISSSTA2000)*, Parsippany, NJ, September 6 - 8, 2000.

[30] X. Wang and H. V. Poor, "Subspace Methods for Blind Adaptive Multiuser Detection," *ACM/Baltzer Mobile Networks and Applications*, Vol. 6, No. 1, pp. 59 - 71, January 2000.